



# Annual Review

2019

## Mission:

Founded as a Christian ministry of healing, Baylor Scott & White Health promotes the well-being of all individuals, families and communities.

## Contents

- 4** EveryBody Moves
- 6** Day Neuro Programs
- 8** Blood Flow Restriction
- 9** Clinic Expansion
- 11** Renovations and Improvements
- 12** Keep Your Move in the Tube®
- 14** Home Health
- 15** Rita Hamilton, M.D. appointed to medical director
- 16** Brain injury research
- 19** Spinal cord injury
- 22** Technology
- 24** Research fact and figures
- 26** Physician resident research
- 28** Community collaborations
- 30** Outpatient Division Wins

### On the cover:

Pat Widhalm (center) is a stroke survivor and former patient who volunteers his time to teach a LEGO therapy class as part of recreational therapy at Baylor Scott & White Institute for Rehabilitation – Frisco. This year was all about the State Fair of Texas, with working models that included State Fair staples like Big Tex, the Texas Ferris Wheel and a Fletcher’s Corny Dog stand.



Fabian Polo, PhD, MBA, president

## A message from Fabian Polo, PhD, MBA, president

We had a great 2019 at Baylor Scott & White Institute for Rehabilitation (BSWIR). We cared for nearly 100,000 lives across our many lines of rehabilitation services (Acute Care Inpatient Therapy, Inpatient Rehabilitation, Outpatient Rehabilitation, Day Neuro Rehabilitation, Home Health, and Neuro Transitional Care), and our research funding has reached an all-time high.


Our acute therapy teams focused their efforts around early mobility in the acute hospital units to improve patient quality of life and prevent deconditioning. Our Day Neuro Programs are growing and continue to provide the intensive therapy services of an inpatient rehabilitation hospital without the need for overnight stays. And our adoption of blood flow restriction training in the outpatient setting has led to improved patient outcomes and experience. We are also very proud of our physical therapy leaders who continue their work promoting the value of our “Keep Your Move in the Tube®” program so it will become the standard of care everywhere for cardiovascular rehabilitation patients.

We have made tremendous progress in advancing our Spinal Cord Injury research work as the team completed one funded four-year study and initiated three newly-funded projects. The work has continued to address improving the health, function, independence and community participation for those living with Spinal Cord Injury.

And lastly, Rita Hamilton, DO, was officially named Chief Medical Officer of BSWIR in September of 2019. The CMO position was vacated by Amy Wilson, MD, when she was promoted to CMO of our flagship 1,000 bed Level I Trauma Center, Baylor University Medical Center (BUMC). Dr. Wilson served as CMO for more than 10 years and her impact will be felt for many years to come. Dr. Hamilton brings to us an impressive local and national reputation as a leader in the field of Spinal Cord Injury Rehabilitation and in Graduate Medical Education, as BUMC PM&R Residency Program Director.

We hope you enjoy reading our Annual Review.

## Everybody moves



This year Baylor Scott & White Institute for Rehabilitation (BSW Rehab) researchers participated in the **#everyBODYmoves** campaign, a grassroots effort spearheaded at Johns Hopkins University that targets immobility harm in acute and post-acute care settings. The campaign is part of the worldwide initiative **#EndPJPparalysis**, a three-day global virtual summit whose goal is to share best practices to keep people up, dressed, and moving to improve their quality of life and prevent deconditioning. BSW Rehab researchers presented at this year's **#EndPJPparalysis** summit which included case studies, research presentations and, clinical sessions, as well as information about leading change, telling stories and creating social movements.

"The purpose of the summit is for all hospitals and partners to highlight their own mobility initiatives so others can use those initiatives or repurpose them to fit their own organizations," says Emelia Exum PT, DPT, GCS, Advanced Clinical Specialist Level Therapist at Baylor University Medical Center (BUMC).

Dr. Exum and Brian L. Hull, PT, DPT, MBA, Director of Rehabilitation at BUMC, presented their research on using mobility technicians in the general medicine and surgical populations to increase patient mobility and improve performance on hospital quality measures. This pilot study, published this year in *Journal of Acute Care Physical Therapy*, showed that mobility technicians could help to increase patient mobility in non-intensive care hospital settings, and reduce or eliminate the need for facility based post-acute care rehabilitation for some patients not requiring intense acute rehabilitation therapies. Positive trends were also observed in improving patient experience, as well as decreasing length of stay, fall rate and post-acute care spending.

"This is a relatively low-tech intervention that, if structured correctly, can lead to some significant positive changes," says Dr. Hull. "It's an example of how going back to the basics can improve clinical outcomes. It's common sense—and the literature backs this up—that the more active patients can be in the hospital, the better off they will be when they leave."

The program implemented at BUMC required nurses to assess patients' medical stability and mobility using the Johns Hopkins Highest Level of Mobility score to identify patients who were appropriate for receiving assistance from a mobility technician. Mobility technicians then trained selected patients to the next appropriate level of mobility.

*"The work was a multidisciplinary, collaborative effort to help patients who fall into the gap between needing physical therapy and being independent," Dr. Exum says. "Sometimes these patients become weak while hospitalized. They may be capable of getting up with assistance, or may just need someone to hand them a mobility device they use at home. Bedrest can make these patients worse when all they need is supervision."* – Emelia Exum PT, DPT, GCS

The study has national significance in light of the Centers for Medicare and Medicaid Services value-based purchasing reimbursement program, which aims to link payment to the quality of a hospital's care. "In addition to the positive effects on patient outcomes and experience, the use of a mobility technician may have the potential to improve hospital profit margins," says Dr. Hull. "But getting patients home more quickly with better mobility is the most important goal." The next step for research is to examine the use of mobility technicians on a larger scale to better characterize statistical significance across a variety of clinical and financial outcomes.



*Drs. Brian Hull and Emilia Exum presented research, on the benefits of mobility with patients' long term recovery.*

## Day Neuro programs



Day Neuro programs provide post-acute rehabilitation care for patients with acquired brain injury after they leave the hospital and need to continue their rehabilitation in the outpatient setting. Recently, Baylor Scott & White Institute for Rehabilitation (BSW Rehab) expanded its Day Neuro program to four locations in North Texas: Dallas, Frisco, Las Colinas and Fort Worth.

*“Our Day Neuro programs provide a true transitional approach and focus on patient functionality,”*


says Kathy Powers, chief operating officer, BSW Rehab - Frisco. “Our programs are unique in that patients can stay within the Baylor Scott & White Health system throughout their entire journey, from the emergency department to Day Neuro. We focus on the entire continuum of care and take a trans-disciplinary approach to rehabilitation.”

This trans-disciplinary, team-based approach is essential to providing patient-centered care in the

Day Neuro programs. The programs deliver one-on-one time with patients who may need physical therapy, occupational therapy, speech therapy, or some combination of the three. Additionally, recreational therapy is provided to help patients identify community activities; case managers and social workers help to identify psychosocial needs, as well as community resources; nurses help patients with clinical needs; including medication adherence; and physicians oversee each patient’s care. Neuropsychological testing is used to determine



cognitive, intellectual and behavioral changes that may result from brain injury, and the neuropsychologist/rehabilitation psychologist plays an important role in planning cognitive remediation activities with all team



Day Neuro programs unique,” says Mendi Lancaster, MS CCC-SLP, CBIS, neuro market manager and speech program coordinator, “is that the majority of a patient’s day is spent in one-on-one therapy with a therapist working on personal goals. We offer group therapy to help patients translate skills to less structured formats amidst distractions to simulate real-world activities, but we emphasize individual therapy and independent work to achieve long-term goals.”

The Day Neuro environment attempts to simulate life at home, and includes a kitchen, laundry room and other facilities to help patients engage in activities of daily living. Community outings are also an important component of the Day Neuro program and include activities such as going to a museum, shopping at a grocery store,

members. The team shares the goal of helping patients identify and achieve individual goals so they can adjust to the neurological changes they have experienced and return to the highest possible level of functioning.

“One thing that makes our

using public transportation or volunteering at a food pantry. The program also offers an adaptive driving program with a certified driver rehabilitation specialist who conducts a behind-the-wheel evaluation and training for patients to resume driving after their injury. Other activities include dietary education and peer-led community support groups.

*“Since we’ve grown from one to four programs, we are able to touch so many more lives in the metroplex,” says Ms. Lancaster.*



## Blood flow restriction

This year, clinicians at Baylor Scott & White Institute for Rehabilitation (BSW Rehab) have intensified their engagement with a growing movement to adopt blood flow restriction training—application of a tourniquet to a proximal limb to reduce arterial blood flow out of the limb during exercise—to speed up the rehabilitation process. This process has long presented a dilemma: while strength and hypertrophy are essential to successful rehabilitation, these require loading, and most patients in a rehabilitation setting cannot tolerate high loads.

Blood flow restriction training addresses this dilemma by stimulating hypertrophic adaptations using a low load (typically 15% to 30% of a one-repetition maximum). These adaptations are similar to those observed with high-intensity training (which uses approximately 70% of a one-repetition maximum).

“Blood flow restriction training tricks the body into thinking it’s lifting heavy weight,” says Aaron Carr, PT, DPT, center manager and board certified specialist in orthopedics. “It fatigues the muscle by restricting blood flow. The technique benefits post-operative patients who have load restrictions by allowing them to lift lighter weight or no weight as per their post-operative protocol, while achieving similar effects to lifting heavier.”

A decade of research has consistently demonstrated that gains in muscle hypertrophy and strength from blood flow restriction training are similar to those made with heavy load lifting, and that the technique can also lead to increased VO2 max (the maximum rate of oxygen consumption measured during incremental exercise) and improved tendon healing. It may also help to

reduce healing time for bone fractures. The hypertrophic response can be observed in as little as two weeks if the technique is used three times per week.

To restrict blood flow, clinicians use an FDA-approved, Delfi personalized tourniquet system with Doppler technology to determine each patient’s limb occlusion pressure. The system includes limb protection sleeves, tapered tourniquet cuffs that rapidly inflate and deflate, and exercise and reperfusion timers. To prevent complications such as blood clots, the cuffs are designed not to completely obstruct blood flow into or out of the limb.

*“The research has been there for years, and we’re seeing great results with patients,” Dr. Carr says.*

These results include increased muscle hypertrophy, improved strength and improved VO2 max. The technique is being used with all patient populations, from young athletes with strains to post-operative elderly patients with joint replacements, radiculopathy, or overuse injuries, although the decision to use blood flow restriction training is made on a patient-by-patient basis. “The anaerobic state that blood flow restriction training puts the muscle into builds up lactic acid and causes a feeling of muscle burn,” Dr. Carr explains. “Some patients have never worked out before and find that feeling uncomfortable, whereas other patients such as athletes like the feeling because it is familiar to them. Blood flow restriction training is gaining a lot of traction and we plan to continue using it in the future to help to improve patient outcomes and experience.”


## Clinic expansion

In 2019, Baylor Scott & White Institute for Rehabilitation (BSW Rehab) continued to expand its growth across north and central Texas, increasing from 92 to 96 clinics and is expected to offer 100 clinic locations throughout the state by mid-2020.


“We are looking to create opportunities to develop clinics wherever new communities are expanding,” says P.J. Gillard, PT, vice president of outpatient therapy. “Our goal is to increase our footprint to deliver high-quality rehabilitation services to as many people and communities as possible.”

The organization’s expansion began in 2011, when BSW Rehab (then owned by Baylor Health Care System) partnered via joint venture with Select Medical, one of the leading post-acute service providers in the country, to offer 30 clinic locations in north Texas. In 2013, Baylor Health Care System and Scott & White Healthcare merged into Baylor Scott & White Health, enabling additional clinic growth in the central Texas market.

In the past year, BSW Rehab added 21 outpatient clinics in the Austin region. “Before we expand,” Mr. Gillard says, “we ask how we can we find a physical location



that is conducive to people getting to therapy easily. We want to be convenient to where patients live or work, make sure we are visible and make sure parking is accessible.” The organization’s goal of delivering accessible, patient-centered rehabilitation care is facilitated by strong community relationships. “We’ve become more intent on connecting with the community as we expand, before we even open our doors, by surveying the area and making sure there are strong medical partners in the area, as well as studying the demographics to make sure we’re advertising in the best locations,” Mr. Gillard says. In 2020, BSW Rehab will continue focusing on convenient clinic location, community relations, and patient visibility, and aims to expand its footprint even further across the north and central Texas regions.



## Renovations and improvements



The Baylor Scott & White Institute for Rehabilitation (BSW Rehab) hospitals in Dallas and Frisco have undergone numerous expansions, renovations and improvements during 2019 to make rehabilitation care more patient-centered.

The Neuro Transitional Center was opened on the Dallas campus with the goal of improving independence, reducing disability and decreasing hospital readmissions for patients who have an acquired brain injury or spinal cord injury and are not ready to return home. Each patient has his or her own suite, a kitchen and laundry area in the nine bed, 7,000 square foot facility. Patients have the opportunity to engage in intensive occupational, physical and speech therapy by incorporating functional, meaningful activities in a home-like setting while in a community and clinical environment. The Neuro Transitional Center utilizes the Dallas hospital’s large therapy gym, advanced equipment and aquatics center. “The Neuro Transitional Center enables patients who do not need the daily medical oversight of a hospital but are not ready to live at home to continue their recovery through specialized neuro rehabilitation and medical coordination within the community,” says David Smith, chief executive officer, BSW Rehab – Dallas. “The addition of the Center allows patients to take advantage of the full continuum of care that is available through the BSW Rehabilitation infrastructure.”

In addition to opening the Neuro Transitional Center, plans for a renovation that will bring neurological outpatient rehabilitation services back into the hospital are being finalized.

“The renovation will improve alignment and coordination of services, as well as access for patients who need specialized rehabilitation services in the outpatient arena,” adds Smith.

At the BSW Rehab – Frisco campus, ground was broken on a 12,000 square foot addition to house the outpatient neurological rehabilitation program, as well as the Day Neuro program, a post-acute care rehabilitation program that serves patients with acquired brain injury who are medically stable but still require intensive therapy. The renovation will help the organization grow these programs.



“Since the Day Neuro program began in 2015, we’ve seen a drop in readmission rates and a rise in discharge-to-home rates, and we’ve seen patients flourish once they’re back home and at work,” says Ryan Seymour, chief executive officer, BSW Rehab – Frisco. “It is important to provide inpatient, immediate outpatient, and then ongoing outpatient care, and to address continuity of care and the longitudinal health of patients and their families. If you do the right things for right reasons, you get the right outcomes.”

## Keep Your Move in the Tube®

In the mid-1990s, a Baylor Scott & White Institute for Rehabilitation (BSW Rehab) team at the Baylor Heart and Vascular Hospital developed an innovative approach to providing sternal precautions to patients after coronary artery bypass grafting and other procedures that require median sternotomy. These procedures can lead to sternal wound complications, increased mortality, and other negative patient outcomes. To prevent these complications, clinicians often order sternal precautions to patients that limit the amount of weight they can lift for a certain period of time following surgery, but these restrictions are usually arbitrary and may impede recovery by limiting physical activity.



Keep Your Move in the Tube®, the innovative approach developed by the BSW Rehab team, shortens the length of the outstretched arm to enable patients to perform previously restricted movements (Figure). By keeping their arms close to their bodies as if they were inside a tube, patients can avoid excessive sternal stress and move while still healing and protecting the sternum.

Guideline development of the Keep Your Move in the Tube began in the 1990s, when the team conducted a series of research studies that measured the forces exerted during various activities and their effect on the sternum and discovered that patient variation made it impossible to identify a single ideal load restriction. These studies were published in the *American Journal of Cardiology*, *Journal of Cardiopulmonary Rehabilitation and Prevention*, and *Journal of Thoracic and Cardiovascular Surgery*.


“For decades, precautions were being handed down that were limiting patients and there was no good reason to have them,” says Jenny Adams, PhD. “They didn’t make sense given the way patients move in day-to-day life. With Keep Your Move in the Tube, wherever patients are in the recovery continuum, they can use the guidelines to help them get them out of bed and be as mobile as possible, so they can become more independent and get back to their life and leisure activities.”

“Keep Your Move in the Tube liberates patients’ extremities to help them with function,” says Ana Lotshaw, PT, PhD, CCS, advanced clinical specialist at BSW Rehab. “It’s not just about movement and ambulation. It relates to activities of daily living, everything from basic skills like dressing and grooming, to occupational therapy and getting patients back into the community. It helps caregivers as well as patients. Instead of restricting patients and causing fear, it inspires confidence because it tells them what they can do.”

Part of the reason for the successful adoption and spread of the Keep Your Move in the Tube guidelines at BSW Rehab is the organization’s commitment to multidisciplinary collaboration. “The whole team has to be on board as we’re thinking about how to adopt a more patient-centered model of care,” Dr. Adams says. “Everyone needs to work together, the guidelines need to be explained to new employees, and reminder classes may be helpful. This collaboration helps move us toward our ultimate goal and hope, which is that Keep Your Move in the Tube will become a standard of care everywhere for cardiovascular rehabilitation patients.”



*“Keep Your Move in the Tube liberates patients’ extremities to help them with function,” says Ana Lotshaw, PT, PhD, CCS, advanced clinical specialist at BSW Rehab.*



## Home health



The goal of Baylor Scott & White Institute for Rehabilitation - Home Health (BSW Rehab Home Health) is to improve the functional status of patients experiencing an array of acute and chronic conditions and to return them to as independent a lifestyle as possible. BSW Rehab Home Health provides nursing, physical therapy, occupational therapy, speech therapy, medical social worker and home health aide services for patients residing in Collin, Dallas, Denton, Tarrant and surrounding counties.

*“Independence is our goal,” says Nicole Briscoe, LVN,*

director of business development for BSW Rehab Home Health. “We want patients to be able to safely continue to the next care step, whether that’s outpatient or hospice or day neuro or another level of care.”

According to the Centers for Medicare and Medicaid Services website Home Health Compare, which compares home health agencies across various quality indicators, BSW Rehab Home

Health consistently outperforms both state and national averages in patient outcomes including 30-day rehospitalization rates; 60-day acute care hospitalization rates; improvements in ambulation, bed transfers, and bathing; number of visits per episode; and average length of stay. “We work hard to continuously improve our rehospitalization rate by educating patients about calling us first to allow us to triage and treat them in the comfort of their home when appropriate,” Ms. Briscoe says. BSW Rehab Home Health can arrange for labs, x-rays or electrocardiograms in a patient’s home to help them to avoid an emergency department visit, and can also provide intravenous medications at home in the event of an infection or an exacerbation of a disease process.

“BSW Rehab Home Health’s large network of providers and its commitment to the continuum of care help to distinguish it from its many competitors in the region,” Ms. Briscoe says. “We also help patients to take the initiative in their care and be advocates in their health so they can become as independent as possible as soon as possible.”

## Rita Hamilton, M.D. appointed to medical director



Rita Hamilton, MD

Dr. Rita Hamilton has been appointed medical director of Baylor Scott & White Institute for Rehabilitation (BSWIR), effective September 1.

Dr. Hamilton has been an integral part of the BSWIR family for more than a decade leading its SCI and PM&R Residency programs, and most recently serving as interim medical director since March 2019.

Additionally, she is actively involved with the Academy of Spinal Cord Injury Professionals, American Spinal Injury Association and the Association of Academic Physiatrists, and is frequently tapped to speak at various forums across the country on topics involving spinal cord rehabilitation and graduate medical education.

Dr. Hamilton holds a B.S. in biological sciences from Southern Arkansas University and a D. O. from the College of Osteopathic Medicine at Oklahoma State University.

## Brain injury research



### Weight loss after brain injury

Brain injury researchers at Baylor Scott & White Institute for Rehabilitation (BSW Rehab) are working on two federal grants from the National Institute of Disability, Independent Living, and Rehabilitation Research to examine the efficacy of an evidence-based healthy lifestyle intervention called the Diabetes Prevention Program Group Lifestyle Balance (GLB). The work is being completed as part the North Texas TBI Model System (90DPTB0013) and a field initiated grant for people after stroke (90IFRE0021). “People are more likely to be overweight or obese after brain injury, increasing their risk for heart disease, diabetes and hypertension. As researchers it is critical that we investigate ways to tackle obesity and develop a rigorous scientific evidence-base for intervention” says Simon Driver, PhD, director of rehabilitation research and project director for both grants. The GLB program is accredited by the Center for Disease Control as a self-management intervention demonstrated to result in weight-loss and reduce the risk for Type 2 diabetes through improved physical activity and healthy eating behaviors. The GLB has been used extensively with the

general population, resulting in 5-7% weight loss, so Driver and the research team worked with a group of 25 stakeholders to adapt the program to meet the unique needs of people with TBI and stroke. Stakeholders include people who have experienced a brain injury and their caregivers, physicians, therapists and community partners from organizations like the American Heart Association. “Our stakeholders have been invaluable to the design of our research activities, modification of the program and ongoing efforts. We meet with them quarterly to provide study updates and get their input on next steps.” The study team is currently delivering the program to over 130 people with brain injury to see how participation effects their weight, lipid levels, physical activity behaviors and patient reported outcomes.

### Novel biomarker research to better understand the angiogenic response to weight loss

The team has partnered with the Center of Metabolomics, part of the Institute of Metabolic Disease at BSW Rehab, to explore the angiogenic effect of a healthy lifestyle and weight loss after brain injury. The work was initiated because models of recovery after brain injury, and response to lifestyle change (e.g.,

increased physical activity; healthy eating behaviors), remain limited by imprecision and present challenges when discriminating to the level of an individual. “Recovery after brain injury begins immediately after acute onset and can continue across the lifespan, with many different levels of biological responses involved” says Dr. Chad Swank, PhD, PT, research scientist and co-investigator. Thus, discovery of the unique biomarkers that respond to lifestyle changes and recovery may provide an enhanced and individualized approach to disease prevention and management. “The cardio-metabolic and angiogenic biomarkers we’re collecting will help us understand the metabolic responses that are occurring in response to the participant’s lifestyle change. Data will shed light on the recovery and repair happening after brain injury and complement the functional and patient reported outcome data.” The investigators are collecting plasma concentrations of biomarkers such as irisin, vascular endothelial growth factor, lipoprotein-associated phospholipase A2, insulin-like growth factor 1, and brain-derived neurotrophic factor. “We are excited as our data will be the first of its kind examining the response to lifestyle change in people with brain injury.”

### North Texas Traumatic Brain Injury Model System

For the past 17 years BSW Rehab, in a unique collaboration with University of Texas Southwestern Medical Center, has been designated as the North Texas Traumatic Brain Injury Model System (TBIMS). Every five years NIDILRR competitively funds 16 TBIMS’s nationally, recognizing them as leaders in rehabilitation research and clinical care. “We provide the highest level of comprehensive specialty services from the point of injury through eventual re-entry into community life” says Randi Dubiel, D.O., medical director of TBI services at BSW Rehab and co-investigator.

As part of the TBIMS program, investigators at BSW Rehab complete innovative research for people living in North Texas and collaborate with investigators from the 15 other Model Systems across the United

States on national projects. “As a Model System of care we are expected to complete innovative research that supports the recovery and lifelong health of our TBI patients” says Dr. Dubiel. “To achieve this goal we are systematically completing projects addressing the needs of our inpatients, outpatients and constituents with TBI living in our community.”



Ongoing local and national Model System projects include:

- Efficacy of an evidence-based healthy lifestyle intervention post TBI
- Problem Solving Training for Care Partners of Adults with TBI
- Physical Activity and its Relationship with Disabling Secondary Conditions after TBI
- Development and Assessment of Crosswalks in the TBIMS Database
- Characterization and Treatment of Chronic Pain After Moderate to Severe Traumatic Brain Injury

## Updates on other TBI funded research



The **Brain Injury Rehabilitation Improving the Transition Experience (BRITE)** project, funded by the Patient Centered Outcomes Research Institute (PCORI), moved into year three. The project, led by the University of Washington, includes six TBI Model System

sites. The primary aim of the research is to examine if enhancing the transition from the hospital to home after injury can improve the lives of people with TBI and their families. Patients and caregivers in the intervention group are assigned a case manager to support them for the first 6 months after injury. Maria Cole, LMSW, MPH, research case manager at BSW Rehab notes that “helping patients and families adjust to life after TBI has provided a unique opportunity to better serve people as they recover in their communities and connect them with new support systems.” To date, Maria has served over 100 patients and families to address barriers associated with concrete needs and navigate their rehabilitation experience.

Dr. Marie Dahdah (site principal investigator) completed the third and final year of the PCORI funded study, Comparison of Sleep Apnea Assessment Strategies to Maximize TBI Rehabilitation Participation and Outcome (C-SAS), which is a collaborative project among the VA and six TBIMS inpatient rehabilitation centers. “We concluded data collection in January of 2019 and the Archives of Physical

Medicine and Rehabilitation published our first paper examining the comparative effectiveness of the STOP-BANG, Berlin, and MAPI against Level 1 Polysomnography, which was one of the main hypotheses of the study,” explains Dr. Dahdah. In total, 896 individuals with moderate to severe TBI were screened, 452 were eligible, and 248 individuals with TBI successfully completed inpatient beside polysomnography across all sites.

The C-SAS team has explored a number of clinical questions to-date, including feasibility of completing Level 1 polysomnography (PSG) on a subacute medical rehabilitation unit; the relationship between obstructive sleep apnea diagnosis and biometric data, injury characteristics, and medications prescribed at the time of PSG; coherence between actigraphy and PSG; and the impact of recommended scoring criteria (American Academy of Sleep Medicine vs Centers for Medicare and Medicaid Services) on diagnosis and access to treatment for this patient population. Some of these findings are being presented at national sleep and rehabilitation conferences. According to Dr. Dahdah, “67% of our sample was diagnosed with sleep apnea. This means that sleep apnea is three times more prevalent in TBI survivors than in the general population. This is why early diagnosis and treatment is essential for TBI survivors with sleep-disordered breathing. We want to reduce known factors that could limit critical neural repair, in order to improve physical and cognitive outcomes.”

## Spinal cord injury



The spinal cord injury research program at Baylor Scott & White Institute for Rehabilitation (BSW Rehab) led by Dr. Katherine Froehlich-Grobe, was highly productive in 2019 as the team completed one funded four-year study and initiated three new funded projects. The work has continued to address improving the health, function, independence and community participation for those living with SCI.

### Promoting health and function

People with SCI are at increased risk for cardiometabolic diseases and much of our current research focuses on promoting lifestyle change around becoming physically active and following a healthy diet. These programs target teaching participants about the benefits of a healthy lifestyle and having them practice self-management skills.

Our research team completed a NIDILRR-funded study (#90IF0106), known as WOWii or Workout On Wheels Internet Intervention, which investigated the feasibility and effectiveness of delivering a 16-week virtual exercise program to people with SCI in promoting exercise adoption, increasing exercise

self-efficacy and decreasing self-reported exercise barriers. The manuscript describing our process for and outcomes of collaborating with individuals with SCI to create the website was published in the Journal of Medical Internet Research: Rehabilitation and Assistive Technology. Following pilot testing of the website with a sample of 10 participants, the study team ultimately screened n=388 interested individuals between 2017 – 2019 from across the Dallas Fort Worth metro area



and the nation and enrolled n=168 into the randomized controlled trial (n=87 into the intervention group and n=81 into the waiting-list control group). The middle-aged sample (49.5 + 12.3 years old) was mostly male (57.0%) and White (77.6%),



with some Hispanic representation (7.9%). Most experienced paraplegia (60.0%), were more likely to use a manual (62.4%) rather than power chair (35.2%), and they lived an average of 15.3 + 12.2 years with SCI. Interim study results have been presented at the American Spinal Injury Association, American Congress on Rehabilitative Medicine and the American Public Health Association. All intervention activities were

pretest, post-test studies in which a specific component is tested that is supported by evidence from the general population as facilitating weight loss. “Based on results from earlier research in this area, we recognized that people with SCI may face unique barriers to following traditional recommended approaches to promote weight loss such as complying with daily calorie counts by weighing and measuring their food due to inaccessible kitchen environments, and limited finger and hand function or weighing themselves weekly due to the lack of accessible scales for home use.” Three approaches will be tested separately and then combined into a multi-component package to determine whether the package is more effective than the individual components. An advisory board of 10 individuals with SCI plus several rehabilitation professionals are meeting with our team to provide insight and guidance as we test each component and develop the multi-component package. The first study arm began in September of 2019, with the second arm scheduled to begin in late winter of 2020.



completed at the end of September 2019 and the study team has been invited to publish their work in a special issue on Spinal Cord Injury and Exercise in the journal *Spinal Cord*.

Dr. Froehlich-Grobe initiated another NIDILRR-funded study (#90IFRE0022) in 2019 investigating the effectiveness of different approaches to help people with SCI lose weight as currently evidence is limited as to what approaches are best to help promote weight loss. The study is designed as a series of four, single-group

In complimentary work, Craig H. Neilsen Foundation funds (#541948) are supporting efforts to investigate the impact that contextual factors have on nutrition and physical activity on weight gain in the first year following spinal cord injury. Physical measures assess participants’ weight, height, hemoglobin A1c, C-reactive protein, blood pressure, as well as their dietary intake on three occasions during this 12-month period to understand how modifiable factors in the environment impact people’s health. To date, n=33 people have enrolled and many have returned for their 6 and 12-month follow up visits. BSW Rehab researchers hope the study will provide insights as to what modifiable factors can be addressed to prevent problematic weight gain over their life.

### Enhancing independence and community participation

BSW Rehab received one-year of funding from the Neilsen Foundation (grant #581754) to expand and enhance its Dana and Christopher Reeve Peer Mentoring program. The funds allowed the (a) hiring of five Reeve-trained peer mentors to work on the four to five hours a day Monday through Friday and maintain mentor relationships up to six months post-discharge, (b) purchase tablets to loan to discharging patients who lack internet access at home to connect to BSW Rehab’s monthly Support Challenge Inspire support group and education classes, and (c) create educational/informational content to support people with SCI as they transition home. Having peer mentors onsite since Spring 2019 provides mentoring to 49 patients before discharge, during 316 sessions (average of 4.5 sessions). The most common topics patients and mentors discussed include activities of daily living (240 sessions), accessibility/mobility barriers (105 sessions), and recreation/leisure (81 sessions). Surveys indicate high satisfaction from patients and clinical staff. Patients rated overall helpfulness as 4.9 out of 5.0 at discharge and 20/21 providers reported they “agreed” or “strongly



agreed” recommending their patients to the program. According to Dr. Froehlich-Grobe, “The program has been so well received that the team will continue expanding the peer mentoring program by first obtaining additional funding to support hiring a peer to work full-time operating and managing the program and will then more formally incorporate mentors into the patient education programming and explore implementing the program across our continuum of healthcare at BSW Rehab.”

## Technology - an expanding role in rehabilitation research



Dramatic advances in technology are being rapidly adopted into clinical rehabilitation practice. To ensure Baylor Scott & White Institute for Rehabilitation (BSW Rehab) safely and effectively integrates this technology into inpatient clinical care, researchers and clinicians have partnered to develop an evidence base. Under the direction of Chad Swank, PT, PhD, Research Scientist, BSW Rehab has begun to systematically investigate how and when to utilize Functional Electrical Stimulation - cycling ergometry (FES-CE) and Robotic Exoskeleton Gait Training (RGT) to maximize rehabilitation potential and promote return of function post neurologic injury.

### Functional electrical stimulation cycle ergometry programming

Despite the established benefits of habitual Functional Electrical Stimulation (FES) use in people with chronic spinal cord injury (SCI), there are no nationally recognized clinical protocols for implementing FES within inpatient rehabilitation settings. However, BSW Rehab clinicians and researchers have implemented a feasible and effective FES program for patients during inpatient rehabilitation. “We know FES use can improve

limb function, decrease spasticity, and reduce risk of overuse injury in people with long-term SCI, but the benefits are unknown during the acute phase of recovery,” says Dr. Swank. “We believe that a similar, if not greater, benefit can be harnessed during inpatient rehabilitation based on principles of neuroplasticity.”

FES uses electrical current to stimulate peripheral motor units to partially innervate paralyzed musculature to perform a functional task. At the right dose FES has been shown to activate and re-educate the neuromuscular system below the injury level in people with chronic injury. The BSW Rehab team is collecting evidence on the effect of FES-CE programming during inpatient rehabilitation. To support implementation the team has successfully integrated the patient and family/caregiver into the therapeutic process by encouraging daily FES-CE participation.

“With no clinical practice guidelines or gold-standard program to use as a model, we combined existing scientific evidence with the requirements of inpatient rehabilitation to create a safe, feasible and therapeutically meaningful program,” shares Christina Fazio, PT, ATP, rehabilitation therapy manager.

“Utilization of our FES-CE program increased 264% from 2016 to 2017 after we established the protocol and implemented the staff and patient training.”

The research team is now examining questions specific to the dosage of FES-CE and its impact on functional outcomes for our patients with SCI. “The evidence that we will gather will help us integrate FES-CE into the rehabilitation process at the right time and dose to maximize their recovery. We hope to create a model of use that can be implemented by programs across the country,” notes Dr. Swank.

### Robotic Exoskeleton Gait Training



An exciting application of robotic exoskeleton for gait training is using the technology during the acute recovery phase, when recovery is most likely to improve functional outcomes. The clinical and research team at BSW Rehab have been evaluating how to integrate robotic exoskeleton technology into clinical practice during inpatient rehabilitation for patients with mobility impairments.

Initial results from the team’s research suggests that integrating a Robotic Exoskeleton Gait Training (RGT) program into clinical practice is feasible, enjoyed by patients and did not increase their risk of injury. Over the past three years the therapists at BSW Rehab have worked


with nearly 200 patients and completed over 700 RGT sessions with benefits noted as including lessened physical burden on therapists and enhanced patient motivation. Molly Trammell, therapy supervisor and lead RGT physical therapist, concluded, “Our therapists’ level of training and clinical knowledge have fostered RGT implementation during inpatient and outpatient rehabilitation, allowing for safe use with on-label and off-label patients.” Dr. Swank echoed, “Use of RGT allowed the therapists to overcome barriers associated with traditional gait therapy and achieve early mobility even when faced with common clinical obstacles of increased muscle tone, incontinence, and difficult patient communication.”

Initial data generated by the research and clinical team at BSW Rehab suggests that this technology may offer a better approach for gait training when compared with traditional approaches. While traditional gait training approaches such as body-weight supported treadmill training and over-ground gait training with braces can be burdensome to the therapists, patients who completed five or more RGT sessions spent more time each day in gait training and resulted in improved mobility. An interesting observation was that our patients with SCI responded differently to RGT sessions than our patients with stroke. “RGT is not a one size fits all approach. Because of unique patient characteristics, use of RGT requires diverse approaches for patients with differing diagnoses during inpatient rehabilitation,” observed Dr. Seema Sikka, director of spinal cord injury research and quality.

The BSW Rehab research team is now exploring the difference in RGT ingredients based on clinical diagnosis to maximize the potential for walking recovery of patients with different types of neurologic injury. “We hope to efficiently utilize the brief time in inpatient rehabilitation to maximize outcomes for our patients. And based on our initial findings, we think RGT is helping us do so,” summarized Dr. Swank.

## Research fact and figures

### Baylor Scott & White Institute for Rehabilitation 2019 Funding Portfolio \$1,863,264



Federal Funding  
PCORI Contracts  
External Foundation



### 5 Federal Grants supported by the National Institute on Disability, Independent Living, and Rehabilitation Research

1. Building an Evidence Base for Weight Loss Strategies among those with Chronic SCI – 2018–2021 – Grant # 90IFRE0022 (PI Grobe)
2. Efficacy of an Evidence-Based Lifestyle Intervention for People Following Stroke – 2018–2021 – Grant # 90IFRE0021 (PI Driver)
3. Project WOWii: Developing and Testing a Web-Based Intervention to Promote Exercise Among Those with Spinal Cord Injury – 2015–2019 – Grant # 90IF0106 (PI Grobe)
4. North Texas Traumatic Brain Injury Model System – 2017–2022 – 90DPTB0013 (PI Driver)
5. Characterization and Treatment of Chronic Pain After Moderate to Severe Traumatic Brain Injury – 2018–2023 – Grant # 90DPTB0017 - (site PI Driver)

### 2 Contracts with the Patient-Centered Outcomes Research Institute

1. Improving Transition from Acute to Post-Acute Care following Traumatic Brain Injury – 2017–2022 – Contract # 1604-35115 (site PI Driver)
2. Comparison of Sleep Apnea Assessment Strategies to Maximize TBI Rehabilitation Participation and Outcome – Contract # CER-1511-33005 – 2016–2019 – (site PI Dahdah)

### 2 Craig H. Neilsen Foundation Grants

1. Impact of Contextual Factors on Nutrition and Weight Gain over 12 Months after Spinal Cord Injury – 2018–2020 – Grant # 541948 (PI Grobe)
2. Enhancing peer mentoring to promote independence and community participation after rehabilitation – 2018–2019 – (PI Grobe)

### Publications

Driver S., Reynolds M., Woolsey A., Callender L., Prajapati PK., Bennett M., Kramer K. (2018). Impact of a Community-Based Healthy Lifestyle Program on Individuals With Traumatic Brain Injury. *Journal of Head Trauma Rehabilitation*.

Hamilton, R., Kirshblum, S., Sikka, S., Callender, L., Bennett, M., Prajapat, P. (2018). Sacral examination in spinal cord injury: Is it really needed? *Journal of Spinal Cord Medicine* (DOI: 10.1080/10790268.2017.1410307)

Dahdah, M., Bell, K., Lequerica, A., Merfeld, A. (2018). Effectiveness of Cognitive Behavioral Therapy for Treating Insomnia in Healthy Individuals and those with Brain Injury. *The Brain Injury Professional - Sleep Disorders and Traumatic Brain Injury Special Issue*. (DOI Pending)

Leonard, M. C., Thyagarajan, R., Wilson, A. J., & Sekeres, M. A. (2018, April 01). Strategies for success in creating an effective multihospital health-system pharmacy and therapeutics committee. *American Journal of Health-System Pharmacy* April 2018, 75 (7) 451-455; DOI: <https://doi.org/10.2146/ajhp170531>

Brown, R., Tang, X., Dreer, L., Driver, S., Pugh, M., Martin, A., McKenzie-Hartman, T., Shea, T., Silva, M., Nakase-Richardson, R. (2018): Change in body mass index within the first-year post-injury: a VA Traumatic Brain Injury (TBI) model systems study, *Brain Injury*, DOI: 10.1080/02699052.2018.1468575

Rachal, L., Swank, C., Trudelle-Jackson, E., & Driver, S. (2018). Reliability and clinical feasibility of measuring dual-task gait in the inpatient rehabilitation setting following traumatic brain injury. *Physiotherapy Theory and Practice*, 1-7. doi:10.1080/09593985.2018.1474305

Reynolds, M., Driver, S., Bennett, M., Patel, S., Rainey, E., Warren, A., Dutton, G. (2018). Examining the relationship between obesity and mental health outcomes among individuals admitted to a level I trauma center. *Clinical Obesity*. doi: 10.1111/cob.12264

Hart, T., Driver, S., Sander, A., Pappadis, M., Dams-O'Connor, K., Bocage, C., Hinkens, E., Dahdah, M., Xincheng, C. (2018). Traumatic brain injury education for adult patients and families: A scoping review. *Brain Injury*, 1-12. doi:10.1080/02699052.2018.1493226

Reynolds, M., Driver, S., & Bennett, M. (2018). The social network – using social media to support individuals with traumatic brain injury participating in a pilot study weight-loss program. *Brain Injury*, 1-5. doi:10.1080/02699052.2018.1496480

Agtarap, S., Carl, E., Reynolds, M., Roden-Foreman, K., Bennett, M., Rainey, E., Powers, M., Driver, S., Warren, A. (2018) Caregiver expectations of recovery among persons with spinal cord injury at three and six months post-injury: A brief report. *The Journal of Spinal Cord Medicine*. DOI: 10.1080/10790268.2018.1508953

Wang, W., Macaulay, W. (2018) Opioids vs nonopioids for chronic back, hip, or knee pain. *The Journal of the American Medical Association*.

Dubiel, R., Callender, L., Dunklin, C., Harper, C., Bennett, M., Kreber, L., Auchus, R., Diaz-Arrastia, R. (2018) Phase 2 randomized, placebo-controlled clinical trial of recombinant human Growth Hormone (rhGH) during rehabilitation from traumatic brain injury. *Frontiers in Endocrinology, section Neuroendocrine Science*.

## Physician resident research



The physician residents continue to be actively engaged in innovative research projects. In 2019, three graduates presented their work at the annual meeting of American Spinal Injury Association, Association of Academic Physiatrists, American Congress of Rehabilitative Medicine, and Baylor University Medical Center Scholarly Day.



Kara Bunting, DO conducted a research project entitled, “Establishing an Aquatic Therapy Protocol for Patients with AIS-A/B Spinal Cord Injury (SCI).” The aims of the project were to conduct a retrospective chart review to evaluate current practices of physicians and aquatic therapists in the prescription of aquatic therapy in

patients with AIS-A/B SCI and to establish a standard documentation protocol for prospective patients. She found that patients who received aquatic therapy

were typically younger, had longer length of stays and were more likely to be discharged home. Dr. Bunting also helped to establish a standard documentation protocol to track aquatic therapy session data which includes pain assessment, affect and perceived exertion during therapy activity. She presented this work at the 2019 American Spinal Injury Association annual conference and at Baylor University Medical Center Scholarly Day 2019 where she was awarded “Best Quality Research Poster.” Dr. Bunting completed her residency in the summer of 2019 and is now practicing as a staff PM&R physician at St. Francis Physical Medicine and Rehabilitation in Tulsa, OK.



Cassandra Kaiser, DO conducted a retrospective research project entitled, “Characteristics and Outcomes of Inpatient Rehabilitation Patients Readmitted to Acute Care.” The aims of the project were to determine common reasons for readmission to acute care from acute inpatient rehabilitation and identify potentially preventable diagnoses among patients who were discharged from BSW Rehab from January 1, 2017 through December 31, 2017. She found the overall readmission rate was

11.7%, and predictors for readmission to acute care were race/ethnicity, Medicare insurance, days from diagnosis to admission to rehabilitation, case mix index, and comorbidities as measured by the Elixhauser Comorbidity Index. The top diagnoses for readmission were abnormal symptoms and labs, digestive issues, injuries, and circulatory issues. These findings helped to inform focused efforts to provide quality care to minimize unplanned events. Dr. Kaiser presented this work at the 2019 Association of Academic Physiatrists annual conference and at Baylor University Medical Center Scholarly

Day 2019 where she was awarded “Best Quality Research Oral Presentation.” Dr. Kaiser completed her residency in the summer of 2019 and is now practicing as a staff PM&R physician at Emory University School of Medicine in Atlanta, GA.

Sabrina Young, DO conducted a cross-sectional analysis using baseline data from a research project entitled, “Health Literacy and Functional Outcomes among Patients Undergoing Inpatient Rehabilitation.” The purpose of the project was to describe health literacy levels and associations for patients as they underwent inpatient rehabilitation. Health literacy levels were assessed using an objective outcome measure (FLIGHT/VIDAS) and correlated with a four question self-reported health literacy outcome measure (BRIEF). The two measures were significantly correlated ( $p=0.0014$ ) indicating that the short questionnaire was an adequate assessment tool for health literacy in the inpatient rehabilitation setting. This finding is important, as health literacy affects the ability of patients with chronic disease to manage their care after discharge from inpatient rehabilitation. Dr. Young completed her residency at Baylor Scott & White Institute for Rehabilitation in the summer of 2019 and is now employed as the Associate Medical Director of PM&R at Norman Regional Hospital in Norman, OK.

## Community collaborations



Baylor Scott & White Institute for Rehabilitation (BSW Rehab) is proud of its many community collaborations and the support it offers to patients and families through its strong community ties.

One example of BSW Rehab's engagement with the community is its relationship with the city of Fort Worth. Starting in March 2018, the city asked BSW Rehab to provide athletic training for tactical athletes such as fire department personnel. Athletic trainers at BSW Rehab work with department trainees and veterans to deliver injury prevention programs, provide early symptom intervention, and help promote general health and wellness. The success of this collaboration has led to the addition of two athletic trainers, one for the water department and one for the parks department.

BSW Rehab's ability to deliver high-quality care in the community is enhanced by its extensive network of providers throughout the entire care continuum. "We have an online injury report link that allows our trainers to log in and see if any of our trainees need follow-up care," says Kendall Goldberg, MLA, ATC, LAT, director of athletic training services. "If they do, we can set up

appointments with a physical therapist, or physician, or another care provider. This infrastructure enables us to provide strong outreach."

In addition to the city of Fort Worth, BSW Rehab collaborates with other organizations throughout the community, including the Dallas Stars high school hockey league, FedEx at Alliance Airport, the Lake Highlands Girls Classic League, the Dallas Cowboys Cheerleaders, Dallas Cowboys Rhythm & Blue Dancers, and the annual Dallas marathon.



## Outpatient Division Wins Three Pinnacle of Excellence Awards

Three Baylor Scott & White Institute for Rehabilitation Outpatient Therapy locations have earned the prestigious Pinnacle of Excellence Award® by Press Ganey for 2019. This award recognizes top-performing health care organizations nationwide on the basis of extraordinary achievement and consistently high levels of excellence over three consecutive years in the category of ‘Patient Experience.’

The three outpatient centers – Addison, Frisco-Main and Little Elm – were announced recently by Press Ganey, a national provider of patient experience measurement, performance analytics and strategic advisory solutions for health care organizations. “It’s an incredible honor for our outpatient centers to be recognized for this award in the category of ‘Patient Experience,’” said Fabian Polo, president of Baylor Scott & White Rehab. “The fact that not just one, but three of our outpatient centers won this reward provides affirmation that our patient-focused attention to care is making a difference.”

The Pinnacle of Excellence Award® recognizes top performers in each category based on their performance on designated award survey measures over a three- year award period, from May 2016-April 2019. Each year, only four awards are handed out in the category of Outpatient Services. This year, Baylor Scott & White Rehab won three of the four allocated spots. In addition, only one other health care organization – Mayo Clinic – produced as many winners this year as Baylor Scott & White Rehab. “To be recognized by our patients as consistently delivering the highest level of ‘patient experience’ is the ultimate compliment,” said PJ Gillard, vice president, Baylor Scott & White Institute for Rehabilitation Outpatient Therapy.





Baylor Scott & White Health  
2001 Bryan Street, Suite 750  
Dallas, TX 75201

PRSRT STD  
US POSTAGE  
PAID  
MURRAY KY  
PERMIT NO 35